

Notice to Bidders

Town of Jackson, Washington County

The Town of Jackson, Washington County is accepting bids for **removal of existing asphalt, fine grading, binder course and surface course** for the following road:

1. Per the areas highlighted in red on the map at the intersection of Cedar Creek Road and Jackson Drive; the map is available at the Town Clerk's office and on the town website, www.town-jackson.com. Please note the project must be completed at the same time as the Bielinski Homes/Village of Jackson project that has been awarded to Payne & Dolan Incorporated to ensure a quality finished road surface.

Work to be provided will consist of existing road surface removal, addition of material for fine grading and compacting, a binder course of 2 ½ " of asphalt, and a surface course of 1 ½" of asphalt.

Bids will be accepted until noon on September 12, 2019 at the Town of Jackson Town Hall, 3146 Division Road, Jackson, WI 53037. Bids will be opened by the Town Clerk in order to make copies for all Town Supervisors. The Town Chairman will publicly read the bids at the Regular Town Board meeting which will be held on September 12, 2019 at 7:00 PM. at the Town Hall. The Town Board will discuss the bids and may award the project during the meeting.

For further information please contact Ron Eickstedt, Highway Supervisor by calling 262-305-5355.

Bid specifications and other necessary documents may be obtained from the office of the Town Clerk. The Clerk's office is open Monday through Thursday 9:00 AM to 4:30 PM. If you are making a special trip to the office please call (phone 262-677-4048) to ensure there will be someone available to assist you.

The Town of Jackson reserves the right to accept or reject and or all bids or any parts thereof, waive any informalities in the bidding process and to accept the bid proposal or portion of a proposal deemed most advantageous to the Town.

Julia Oliver, Town Clerk
Publish August 21 and 28

AFFIDAVIT OF POSTING: I hereby certify that this notice has been posted on the Town of Jackson website at www.town-jackson.com and at the Town of Jackson Town Hall, 3146 Division Road. Additionally this notice was posted at the Town of Jackson Town Garage, 3685 Division Road and at Trinity Evangelical Lutheran Church, 1268 Pleasant Valley Road, Town of Jackson. I further certify that this notice has been sent to the West Bend News, WBKV Radio Station and the Express News.

Dated August 12, 2019

*Julia Oliver, Clerk
Town of Jackson*



Phone: 262-677-4048
Fax: 262-677-4163
Website: www.town-jackson.com

Washington County
3146 Division Road
Jackson, WI 53037

**ROAD BID PACKAGE – 2019
PULVERIZE/BASE COURSE/FINISH COURSE
INTERSECTION OF JACKSON DRIVE AND CEDAR CREEK ROAD**

CONTACTS:

**Town Chairman: Ray Heidtke
Town Hall Phone: 262-677-4048**

**Highway Department Supervisor: Ron Eickstedt
Town Garage Phone: 262-677-3523
Cell Phone: 262-305-5355**

**Town Clerk: Julia Oliver
Town Hall Phone: 262-677-4048
Town Hall Fax: 262-677-4163
Email: clerk@town-jackson.com**

DUE DATE: September 12, 2019 at noon

TOWN OF JACKSON, WASHINGTON COUNTY

2019 PROJECT DESCRIPTION

Bidder Information:

Name: _____

Company: _____

Address: _____

Phone: _____

Fax: _____

Email: _____

<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
---------------------------	------------------------	--------------------------	---------------------------

1. Jackson Dr. /Cedar Creek Rd.

See attached map

Square yards _____ **@ \$** _____

approximately 2250 sq. yds. per the town specifications (attached)

*The design and construction of the improvement must be certified by a registered professional engineer.
The contractor shall provide the engineer's certification with the invoice, once the work is completed.*

TOWN OF JACKSON
WISCONSIN

General Specifications

I. PULVERIZING

The Contractor shall pulverize the existing asphalt pavement to its full depth plus a minimum of 1" into the existing base course. The pulverized material shall conform to the following gradation requirements: 100% passing a 2" sieve, 95% passing a 1-1/2" sieve. Should the contractor not meet the requirements after one pass with the pulverizing equipment, he is required to make additional passes until the material meets specifications, at no additional cost. The Town will require a density compaction average of no less than 95% on all pulverized roads, before asphalt base course is laid. We will require a density test print out for each pulverized project.

II. FINE GRADING

All fine grading is to be performed in accordance with Section 304.5 of the latest edition of the W.D.O.T. Standard Specifications for Road and Bridge Construction. In addition, the Contractor shall remove, from the site, all material that has not been reduced to a particle size of less than 2" in diameter. The Contractor is to distribute the pulverized material to locations where additional base course material is required to raise the grade of the asphalt, to widen the base course area, and to repair the existing subgrade. Areas that are soft or unstable are to be undercut and brought to grade with the pulverized material. Pulverized asphalt material is to be graded to assure a minimum of 1% crown from roadway centerline to pavement edge.

III. ASPHALT BINDER COURSE

Contractor is responsible for constructing a 2-1/2" or 2" (compacted thickness) asphalt binder course Super Pave 19.5 MM - E-1 Mix in accordance with the W.D.O.T. Standard Specifications for Road and Bridge Construction.

IV. ASPHALT WEDGE COURSE

When existing roadway has insufficient crown, depressions, or faults in the pavement; the contractor is responsible for constructing a wedge/leveling course. When the total depth of the wedge/leveling course exceeds 2-12" in thickness, it shall be built up in successive layers, not exceeding 2-1/2" in thickness. It will be anticipated that all roadways, requiring a 2-1/2" overlay, will receive a wedge/leveling course.

V. ASPHALT SURFACE COURSE

Contractor is responsible for constructing a minimum 1 1/2" (compacted thickness) asphalt surface course MV3 Mix in accordance with the W.D.O.T. Standard Specifications for Road and Bridge Construction with minimum 2 % slope.



2019 PROPOSAL SPECIFICATIONS

WITNESSETH: That the Contractor and the Town, for the consideration stated herein, agree as follows:

- I. SCOPE OF WORK** – The Contractor shall perform everything required to accomplish the projects listed herein after, by providing the following: labor, materials, necessary tools, and expendable equipment. All work required for the construction of road improvements included in this Proposal, are to be carried out in strict accordance with the Specifications, including any and all addenda, which are made part of this agreement, and other documents constituting a part thereof.
- II. INSURANCE** – A certificate of liability insurance coverage and proof of Workers Compensation insurance shall be submitted with the successful bidder's contract.
- III. ROAD WORK SIGNAGE** - Road work notification signage must be posted by the Contractor one week prior to the start of a project unless otherwise specified. Signage must be kept current during project duration.
- IV. THE PROPOSAL PRICE** – The Town shall pay the contractor based on the Contractor's Unit Price per Awarded Project. Quantity must be verified by the Contractor.
- V. CHANGE ORDER** – No change, deletion or addition to the agreed upon project quantity, unit price or total price shall be made without WRITTEN approval by the Town Chairman. Payment will not be made if additional work is done without written authorization.
- VI. INVOICES FOR TOWN ROAD IMPROVEMENT PROJECTS** – The contractor must submit certification by a registered professional engineer that the design and construction of the improvement meet the requirements specified by the WI DOT Local Roads Improvement Program **WITH** their invoice.
- VII. INVOICING** - Contractors shall submit itemized invoices listing each road or location separately. If requested; actual quantities shall be submitted in tons for paving, actual quantities shall be submitted in tons for gravel lifts, load tickets in tons delivered to each road or location shall be submitted and contractor shall provide tickets with date, time, type and net gallons for emulsion oil. Contractors shall be prepared to submit sufficient field data and records to the Town, upon request, to substantiate their invoices, should a discrepancy arise. Lien Waivers and Federal IRS W-9 shall be submitted with invoice.

The above items are acknowledged by the Contractor and by signing this document Contractor agrees to all conditions set forth.

Contractor's (Agent/Representative) Printed Name

Company Printed Name

Contractor's Signature

Contractor's Title

Date